

Publications to which **former** and **current** employees of Informus GmbH have contributed.

Peer-reviewed journals

- Babin, M., Morel, A., Fournier-Sicre, V., **Fell, F.**, and Stramski, D. (2003): Light scattering properties of marine particles in coastal and open ocean waters as related to the particle mass concentration, *Limnol. Oceanogr.*, 48 (2), 843-859, <https://doi.org/10.4319/lo.2003.48.2.0843>.
- Bennartz, R., **Fell, F.**, Pettersen, C., Shupe, M.D., and Schuettemeyer, D. (2019): Spatial and temporal variability of snowfall over Greenland from CloudSat observations, *Atmos. Chem. Phys.*, 19, 8101-8121, <https://doi.org/10.5194/acp-19-8101-2019>.
- Bennartz, R., Höschen, H., Picard, B., Schröder, M., Stengel, M., Sus, O., Bojkov, B., Casadio, S., Diedrich, H., Eliasson, S., **Fell, F.**, Fischer, J., Hollmann, R., Preusker, R., and Willén, U. (2017): An intercalibrated dataset of total column water vapour and wet tropospheric correction based on MWR on board ERS-1, ERS-2, and Envisat, *Atmos. Meas. Tech.*, 10, 1387-1402, <https://doi.org/10.5194/amt-10-1387-2017>.
- Berger, F.H., Bolle, H.J., **Fell, F.**, and Wohlfart, U. (1989): Validation of optical cloud parameters inferred from satellite measurements by ground observations, *Adv. Space Res.*, 9 (7), 153-159, [https://doi.org/10.1016/0273-1177\(89\)90157-9](https://doi.org/10.1016/0273-1177(89)90157-9).
- Brajard, J., Niang, A., Sawadogo, S., **Fell, F.**, Santer, R., and Thiria, S. (2007): Estimating aerosol parameters above the ocean from MERIS observations using topological maps, *Int. J. Remote Sens.*, 28 (3-4), 781-795, <https://doi.org/10.1080/01431160600821101>.
- Cahill, B., Schofield, O., Chant, R., Wilkin, J., Hunter, E., Glenn, S., and Bissett, P. (2008): Dynamics of turbid buoyant plumes and the feedbacks on near-shore biogeochemistry and physics, *Geophys. Res. Lett.*, 35, L10605, <https://doi.org/10.1029/2008GL033595>.
- Claustre, H., **Fell, F.**, Oubelkheir, K., Prieur, L., Sciandra, A., Gentili, B., and Babin, M. (2000): Continuous monitoring of surface optical properties across a geostrophic front: Biogeochemical inferences, *Limnol. Oceanogr.*, 45 (2), 309-321, <https://doi.org/10.4319/lo.2000.45.2.0309>.
- Fell, F.** (2006): Aquatic Ecosystems from Space - EO water quality data over the internet, *Hydro International*, Band 10, Heft 5, S. 41-43, ISSN 1385-4569.
- Fell, F.**, and Fischer, J. (2001): Numerical simulation of the light field in the atmosphere-ocean system using the matrix-operator-method, *J. Quant. Spectrosc. Ra.*, 69 (3), 351-388, [https://doi.org/10.1016/s0022-4073\(00\)00089-3](https://doi.org/10.1016/s0022-4073(00)00089-3).
- Fischer, J., and **Fell, F.** (1999): Simulation of MERIS measurements above selected ocean waters, *Int. J. Remote Sens.*, 20 (9), 1787-1807, <https://doi.org/10.1080/014311699212489>.
- Kamp, U., Hölzl, K., Köhler, A., **Fell, F.**, and **Olbert, C.** (2005): Stream habitat surveying for river restoration in the city of Berlin, Germany, *Geoöko*, 26, 231-250.
- Klein, K.P., Lantuit, H., Heim, B., **Fell, F.**, Doxaran, D., Irrgang, A.M. (2019): Long-Term High-Resolution Sediment and Sea Surface Temperature Spatial Patterns in Arctic Nearshore Waters Retrieved Using 30-Year Landsat Archive Imagery, *Remote Sens.*, 11, 2791, doi: <https://doi.org/10.3390/rs11232791>.

- Lattanzio, A., **Fell, F.**, Bennartz, R., Trigo, I.F., and Schulz, J. (2015): Quality assessment and improvement of the EUMETSAT Meteosat Surface Albedo Climate Data Record, *Atmos. Meas. Tech.*, 8, 4561–4571, <https://doi.org/10.5194/amt-8-4561-2015>.
- Loew, A., Bennartz, R., **Fell, F.**, Lattanzio, A., Doutriaux-Boucher, M., and Schulz, J. (2016): A database of global reference sites to support validation of satellite surface albedo datasets (SAVS 1.0), *Earth Syst. Sci. Data*, 8, 425–438, <https://doi.org/10.5194/essd-8-425-2016>.
- Loisel, H., Stramski, D., Mitchell, G., **Fell, F.**, Fournier-Sicre, V., Lemasle, B., and Babin, M. (2001): Comparison of the inherent optical properties obtained from measurements and inverse modelling, *Appl. Optics*, 40 (15), 2384–2397, <https://doi.org/10.1364/ao.40.002384>.
- Lynch, D.R., Smith, K.W., and **Cahill, B.** (2004): Seasonal mean circulation on the Irish shelf—a model-generated climatology, *Cont. Shelf Res.*, 24 (18), 2215–2244, <https://doi.org/10.1016/j.csr.2004.07.022>.
- O'Mongain, E., Buckton, D., Green, S., Bree, M., Moore, K., Doerffer, R., Danaher, S., Hakvoort, H., Kennedy, J., Fischer, J., **Fell, F.**, Papantoniou, D., and McGarrigle, M. (1996): Spectral absorption coefficient measured in-situ in the North Sea using the MARAS instrument, *Appl. Optics*, 36 (21), 5162–5167, <https://doi.org/10.1364/ao.36.005162>.
- O'Mongain, E., Green, S., Moore, B., Doerffer, R., Hakvoort, H., Danaher, S., Buckton, D., Kennedy, J., Papantoniou, D., Lazaridis, I., **Fell, F.**, and McGarrigle, M. (1997): Using the MARAS system for the in situ characterizing of the spectral optical properties of the North Sea, *Opt. Laser Technol.*, (29) 1, 41–44, [https://doi.org/10.1016/s0030-3992\(96\)00050-3](https://doi.org/10.1016/s0030-3992(96)00050-3).
- Picard, B., Bennartz, R., **Fell, F.**, Frery, M.-L., Siméon, M., and Bordes, F. (2020): Assessment of the “Zero-Bias Line” Homogenization Method for Microwave Radiometers Using Sentinel-3A and Sentinel-3B Tandem Phase, *Remote Sensing*, 12(19), 3154, <https://doi.org/10.3390/rs12193154>.
- Raine, R., O'Boyle, S., O'Higgins, T., White, M., Patching, J., **Cahill, B.**, and McMahon, T. (2001): A satellite and field portrait of a *Karenia mikimotoi* bloom off the south coast of Ireland, August 1998, *Hydrobiologia*, 465 (1-3), 187–193, <https://doi.org/10.1023/A:1014524420705>.
- Schröder, M., Lockhoff, M., **Fell, F.**, Forsythe, J., Trent, T., Bennartz, R., Borbas, E., Bosilovich, M. G., Castelli, E., Hersbach, H., Kachi, M., Kobayashi, S., Kursinski, E. R., Loyola, D., Mears, C., Preusker, R., Rossow, W. B., and Saha, S. (2018): The GEWEX Water Vapor Assessment archive of water vapour products from satellite observations and reanalyses, *Earth Syst. Sci. Data*, 10, 1093–1117, <https://doi.org/10.5194/essd-10-1093-2018>.
- Schröder, M., Lockhoff, M., Shi, L., August, T., Bennartz, R., Brogniez, H., Calbet, X., **Fell, F.**, Forsythe, J., Gambacorta, A., Ho, S.-P., Kursinski, E.R., Reale, A., Trent, T., and Yang, Q. (2019): The GEWEX Water Vapor Assessment: Overview and Introduction to Results and Recommendations. *Remote Sens.*, 11, 251, <https://doi.org/10.3390/rs11030251>.
- Taheri Shahraini, H., Bagheri Shouraki, S., **Fell, F.**, Schaale, M., Fischer, J., Tavakoli, A., Preusker, R., Tajrishy, M., Vatandoust, M., and Khodaparast, H. (2009): Application of the active learning method to the retrieval of pigment from spectral remote sensing reflectance data, *Int. J. Remote Sens.*, 30 (4), 1045–1065, <https://doi.org/10.1080/01431160802448927>.

- Taheri Shahraiyani, H., Schaale, M., **Fell, F.**, Fischer, J., Preusker, R., Vatandoust, M., Bagheri Shouraki, S., Tajrishy, M., Khodaparast, H., and Tavakoli, A. (2007): Application of the Active Learning Method for the estimation of geophysical variables in the Caspian Sea from satellite ocean colour observations, *Int. J. Remote Sens.*, 28 (20), 4677-4683, <https://doi.org/10.1080/01431160701442062>.
- Watts, P.D., Bennartz, R., and **Fell, F.** (2011): Retrieval of two-layer cloud properties from multispectral observations using optimal estimation, *J. Geophys. Res. Atmos.*, 116, D16203, <https://doi.org/10.1029/2011JD015883>.
- Zhang, T., **Fell, F.**, Liu, Z.S., Preusker, R., Fischer, J., and He, M.X. (2003): Evaluating the performance of artificial neural network techniques for pigment retrieval from ocean color in Case I waters, *J. Geophys. Res. Oceans*, 108 (C9), 3268, <https://doi.org/10.1029/2002JC001638>.
- Zhang, T., and **Fell, F.** (2007): An empirical algorithm for determining the diffuse attenuation coefficient in clear and turbid waters from spectral remote sensing reflectance, *Limnol. Oceanogr. Meth.*, 5, 457-462, <https://doi.org/10.4319/lom.2007.5.457>.
- Zhang, T., and **Fell, F.** (2012): An approach to improving the retrieval accuracy of oceanic constituents in Case II waters, *Journal of Ocean University of China*, 3 (2), 220-224, <https://doi.org/10.1007/s11802-004-0038-3>.

Conference proceedings (selection)

- Fell, F.**, Babin, M., Ferrari, M., and Obolensky, G. (1999): The potential of chlorophyll fluorescence for the space-borne retrieval of phytoplankton in (European) coastal and open ocean waters, *IEEE 1999 International Geoscience and Remote Sensing Symposium (IGARSS'99)*, <https://doi.org/10.1109/IGARSS.1999.775040>.
- Fell, F.**, Brozek, M., Herut, B., Johansen, T., and Koehler, A. (2004): Using the SISCAL in situ measurements for the validation of the MERIS algal pigment indices I and II, *Proc. SPIE 5233, Remote Sensing of the Ocean and Sea Ice 2003*, <https://doi.org/10.1117/12.511122>.
- Fell, F.**, Dilligeard, E., Olbert, C., Babin, M., and Ferrari, M. (2000): Using the sun-induced chlorophyll fluorescence for the remote retrieval of phytoplankton in case-II waters: a case study. In: *Proceedings of Ocean Optics XV, Monaco, 16.10.-20.10.2000*, CD-ROM.
- Fell, F.**, Fischer, J., Preusker, R., and Schröder, T. (2001): Automated atmospheric correction of AVHRR channel 1 and 2 data, *IEEE 2001 International Geoscience and Remote Sensing Symposium (IGARSS 2001)*, <https://doi.org/10.1109/IGARSS.2001.978137>.
- Fell, F.**, Fischer, J., Schaale, M., and Schroeder, T. (2003): Retrieval of chlorophyll concentration from MERIS measurements in the spectral range of sun-induced chlorophyll fluorescence, *Proc. SPIE, Vol. 4892, pp. 116-123, Ocean Remote Sensing and Applications*, <https://doi.org/10.1117/12.467267>.
- Fell, F.**, and Preusker, R. (1996): Effects of the wind direction on the light field reflected from a wind roughened sea surface", *Proc. SPIE 2963, Ocean Optics XIII*, <https://doi.org/10.1117/12.266386>.

Fell, F., and 21 co-authors (2003): SISCAL project: establishing an internet-based delivery of near-real-time data products on coastal areas and lakes from satellite imagery, *Proc. SPIE 4892*, Ocean Remote Sensing and Applications, <https://doi.org/10.1117/12.467300>.

Santer, R., **Fell, F.** (2003): SISCAL project, *Proc. SPIE 4892*, Ocean Remote Sensing and Applications, <https://doi.org/10.1117/12.467280>.

Santer, R., **Fell, F.**, and Johansen, T. (2004): The SISCAL project, *Proc. SPIE 5233*, Remote Sensing of the Ocean and Sea Ice 2003, <https://doi.org/10.1117/12.511451>.

Schroeder, T., Fischer, J., Schaale, M., and **Fell, F.** (2003): Artificial-neural-network-based atmospheric correction algorithm: application to MERIS data, *Proc. SPIE 4892*, Ocean Remote Sensing and Applications, <https://doi.org/10.1117/12.467293>.

Technical reports (selection)

Aljes, M., Heinicke, T., **Fell, F.**, Wunderlich, J., and Zeitz, J. (2014): Peatlands in Kyrgyzstan - distribution, characteristics, and climatic relevance (in German), Final Report, 50 pages. Established in the context of the BMU-funded KIRMO project.

Bock, R., **Fell, F.**, Kamp, U., Olbert, C., Ahrens, H., Fell, H., Hiemann, S., Hölzl, K., Jarchow, W., Kernbach, C., Pieles, H., Preusker, F., and Schulze, B. (2002): Strukturgüte von Fließgewässern Brandenburgs, Studien und Tagungsberichte, Schriftenreihe des Landesumweltamtes Brandenburg, Band 37, ISSN 0948-0838.

Cahill, B., **Fell, F.**, and Wilkin, J. (2012): Benefits of Oceanography Measurements for National Meteorological Services of EUMETSAT Member States, Final Report, 88 pages. EUMETSAT funding.

Fell, F., **Cahill, B.**, and Mohaupt-Jahr, B. (2010): The European initiative "Global Monitoring for Environment and Security" (GMES): A users' approach, 38 pages. Established in the context of the EC-funded project GMES Network of Users (GNU).